



SPIKE BARS

— EST 1967 —
FACINGS
— OF AMERICA —

SPIKE BARS


What if we reinvent the Sweet Bars Collection?
Now we're betting on diagonals, with a completely new format,
fresh colors and matt and gloss finishes.

Turning ideas into reality!

-

*¿Y si reinventamos la colección Sweet Bars?
Ahora apostamos por las diagonales, con formato completamente nuevo,
colores frescos y acabados en mate y brillo.
¡Transformando ideas en realidad!*

01. SIZES, COLOURS AND FINISHES / FORMATOS, COLORES Y ACABADOS	<i>pag. 4</i>
02. GET INSPIRED / INSPIRATE	<i>pag. 6</i>
03. LAYOUTS / COLOCACIONES	<i>pag. 26</i>
04. TECHNICAL FEATURES / CARACTERÍSTICAS TÉCNICAS	<i>pag. 28</i>
05. PACKING	<i>pag. 29</i>
06. PRICE CODE / CÓDIGO DE TARIFA	<i>pag. 29</i>
07. TECHNICAL DRAWINGS / DIBUJOS TÉCNICOS	<i>pag. 30</i>
08. RECOMMENDATIONS / RECOMENDACIONES	<i>pag. 31</i>



SPIKE BARS 15x25,9 cm / 6"x10.2"

W32




Talc Matt Earth Matt



Deep White Greige Mineral Grey Fern



Peacock Blue Royal Green Ebony



Spike Bars B Mineral Grey
Floor: Halo XXL Dawn (Halo Collection)





◀ **Spike Bars** B Deep White 55,55%, B Deep White 22,22%,
A Fern 11,11% & B Fern 11,11%
Front Wall: **Spike Bars** A Fern 66,66% & B Fern 33,33%
Floor: Strip Concrete Light Grey (Love Affairs Collection)


▲ **Spike Bars** A Fern 66,66% & B Fern 33,33%



Spike Bars A Royal Green

Front Wall: Fayenza Square Royal Green (Fayenza Collection)





Spike Bars A Greige 46,5% & B Greige 53,5%
Floor: Halo S Night & Halo XXL Night (Halo Collection)
Wall: Fayenza Square Greige (Fayenza Collection)

Spike Bars A Earth Matt 50% & B Earth Matt 50%


Floor: Contempo Strip Oak (Love Affairs Collection)





◀ **Spike Bars** A Peacock Blue 30% & B Peacock Blue 70%
 Table: *Fayenza Deep White (Fayenza Collection)*
 Floor: *Halo XXL Dawn (Halo Collection)*

▲ **Spike Bars** A Peacock Blue 50% & B Peacock Blue 50%



Spike Bars A Talc Matt 50% & B Talc Matt 50%





Spike Bars A Ebony 59% & B Ebony 41%

Lateral Walls: Fayenza Square Ebony (Fayenza Collection)



Spike Bars A Earth Matt 50% & B Earth Matt 50%
 Floor: Halo XXL Noon (Halo Collection)
 Back Wall: IPN INOUT Sand & UPN INOUT Sand (Icon Collection)






◀ **Spike Bars** B Deep White 58,4% & B Greige 41,6%

Floor: Halo XXL Dawn (Halo Collection)


▲ **Spike Bars** A Deep White 25%, B Deep White 25%,
A Mineral Grey 25% & B Mineral Grey 25%




Spike Bars A - 66,66%
Spike Bars B - 33,33%




Spike Bars A




Spike Bars A - 59%
Spike Bars B - 41%




Spike Bars A - 50%
Spike Bars B - 50%




Spike Bars A - 50%
Spike Bars B - 50%



Spike Bars A - 66,66%
Spike Bars B - 33,33%



Spike Bars A - 50%
Spike Bars B - 50%



Spike Bars B


Technical features for Dry-Pressed ceramic tiles with water absorption BIII (Eb >10%)
Características técnicas para las baldosas cerámicas prensadas en seco del grupo BIII (Eb >10%)

FEATURES / CARACTERÍSTICAS		SPECIFICATION / ESPECIFICACIÓN	NORMA
	Dimensional Features	Spike Bars 150,0 mm +/- 0,75 mm x 258,5 mm +/- 1,30 mm	UNE-EN ISO 10545-2:2019
	Water absorption	Eb>10%	UNE-EN ISO 10545-3:2018
	Modulus of rupture and breaking strength	≥ 12 N/mm2 ≥ 600 N	UNE-EN ISO 10545-4:2019
	Crazing resistance	Pass	UNE-EN ISO 10545-11:1997
	Household products resistance	GA	UNE-EN ISO 10545-13:2017
	Chemical resistance	GHA	UNE-EN ISO 10545-13:2017
	Stain resistance	Class 5	UNE-EN ISO 10545-14:2017
	Tone variation	V2	-
	White body	-	-

			KG 	M2 		M2 
Modelo	Formato (cm)	Piezas / Caja	Kg / Caja	m2 / Caja	Cajas / Palet	m2 / Palet
SPIKE BARS	15x25,9 cm	15	5,10 kg	0,291 m2	105	30,56 m2

			LB 	FT2 		FT2 
Model	Format (in)	Pieces / Box	Lb/ box	sq ft / Box	Boxes / Pallet	sq ft / Pallet
SPIKE BARS	6"x10.2"	15	11.24 lb	3.132 ft2	105	328.86 ft2

MODEL / MODELO	PRICE CODE / CODIGO TARIFA
SPIKE BARS	W32



BEFORE INSTALLING THE PRODUCT

The surface where the product is being installed must be clean and level.
It is recommended that the layout of the product is prepared before the final installation.
Make sure you choose an adhesive apt for the area where the product is being installed.
For installation on porous surfaces we recommend: Kerakoll Special® Eco, and for Non-porous surfaces: Kerakoll serie H40® Eco.
The choice of quality grouting mortar is crucial.
We recommend Kerakoll Fugabella® Color.
(www.kerakoll.com)

TO ENHANCE YOUR WOW PRODUCT

In order to obtain the maximum effect, use 1,5 mm - 0.06 in spacers between the tiles to maintain an even installation over the whole surface. The color of the grout should be as close as possible to the color of your product. Once the area has been grouted, and before the grout dries, remove any excess material with a damp sponge.

MAINTENANCE

Maintenance free. Easy and practical to care for, due to the high standard of technical characteristics in each ceramic product. Avoid abrasive or acidic cleaning products. It is recommended to clean with clear water.